

# CALIFORNIA

## SUMMARIES OF EXTERIOR QUARANTINES

Updated September, 1999

State of California  
Department of Food and Agriculture  
Plant Health and Pest Prevention Services  
1220 N Street Room A-372  
Sacramento, California 95814  
Phone: (916) 653-1440; Fax: (916) 654-0986  
Home Page: <http://www.cdfa.ca.gov/>

Robert L. Wynn, Jr. .... Director  
Martina Haleamau..... Branch Chief

### **DEFINITION OF NURSERY STOCK**

Nursery stock is defined as "Any plant for planting, propagation, or ornamentation" per Section 5005, of the Food and Agricultural Code.

### **GENERAL SHIPPING REQUIREMENTS**

California requires all out-of-state nursery stock shipments coming in to the state to bear appropriate official state certification when necessary for quarantine compliance.

Acceptable certification may be in the form of complete phytosanitary certificates, stamps, or stickers. However, any form of certification that is used must clearly indicate that it is an official certificate. Suggested methods of denoting official certification include depiction of the state agricultural seal and name or a title and facsimile signature of the certifying agricultural official. In addition, certificates must reference the quarantine requirement that is being met, either by the name of the quarantine or by the California Code of Regulations, Section number (e.g., Japanese Beetle or Section 3280). Plant material shipped from a federally regulated area would require federal certification.

For quarantine purposes, it is equally important to know the origin of material which is being transshipped. For example, plant material covered under a California quarantine, if the material originated in Florida and was reshipped from New York, it would need a Florida certificate.

All plant materials received from out-of-state, except as provided by Origin Inspection Agreement, are required to be held under quarantine until released by the destination

County Agricultural Commissioner. Imports from other states will be released only after it is determined

## CA - 2

that they pass quarantine requirements. Nursery stock shipments must also be free of pests, diseases, weeds, and/or weed seed not of common occurrence in California. This summary is not exhaustive because regulations do change from time to time based on pest conditions at origin and our inspection findings. The following plant quarantines listed and summarized are from the California Code of Regulations.

In addition each shipment of plants entering California must be legibly marked in a conspicuous manner with the following:

- 1) The name and address of the owner or shipper;
- 2) The name of the consignee;
- 3) The country or state of origin of the contents is required and the county of origin would be helpful for those states under partial quarantine; and,
- 4) A statement of its contents (plants or plant material).

Inquiries regarding specific quarantines may be addressed to the: State of California, Department of Food and Agriculture, Pest Exclusion, Room A-372, 1220 N Street, Sacramento, CA 95814; or call (916) 653-1440.

## NOXIOUS WEED LIST

SCIENTIFIC NAME..... COMMON NAME

### A & Q RATED WEEDS

<i>Acaena anserinifolia</i> .....	biddy biddy
<i>Acaena nova-zelandiae</i> (= <i>A. anserinifolia</i> in part as used previously) .....	biddy biddy
<i>Acaena pallida</i> (= <i>A. anserinifolia</i> in part as used previously) .....	pale biddy biddy
<i>Achnatherum brachychaetum</i> (= <i>Stipa brachychaeta</i> ) .....	punagrass
<i>Alhagi maurorum</i> (= <i>A. pseudalhagi</i> ).....	camelthorn
<i>Alternanthera philoxeroides</i> .....	alligatorweed
<i>Arctotheca calendula</i> (as seed or fertile plants) .....	capeweed
<i>Carduus acanthoides</i> .....	plumeless thistle
<i>Carduus nutans</i> .....	musk thistle
<i>Carthamus leucocaulos</i> .....	whitestem distaff thistle
<i>Centaurea diffusa</i> .....	diffuse knapweed
<i>Centaurea iberica</i> .....	Iberian starthistle
<i>Centaurea maculosa</i> .....	spotted knapweed
<i>Centaurea squarrosa</i> .....	squarrose knapweed
<i>Chondrilla juncea</i> .....	skeletonweed

<i>Cirsium ochrocentrum</i>	yellowspine thistle
<i>Cirsium undulatum</i>	wavyleaf thistle
<i>Crupina vulgaris</i>	bearded creeper
<i>Cucumis melo var. dudaim</i>	dudaim melon
<i>Cuscuta reflexa</i>	giant dodder
<i>Euphorbia esula</i>	leafy spurge
<i>Euphorbia serrata</i>	serrate spurge
<i>Halimodendron halodendron</i>	Russian salttree
<i>Halogeton glomeratus</i>	halogeton
<i>Helianthus ciliaris</i>	blueweed
<i>Heteropogon contortus</i>	tanglehead
<i>Hydrilla verticillata</i>	hydrilla
<i>Limnobium laevigatum</i>	S. American spongeplant
<i>Linaria genistifolia</i> ssp. <i>dalmatica</i> (= <i>L. dalmatica</i> )	Dalmatian toadflax
<i>Ononis alopecuroides</i>	foxtail restarrow
<i>Onopordum</i> spp.	onopordum thistles
<i>Orobanche ludoviciana</i> var. <i>cooperi</i> (= <i>O. cooperi</i> , <i>O. multiflora</i> )	Cooper's broomrape
<i>Orobanche ramosa</i>	branched broomrape
<i>Peganum harmala</i>	harmel
<i>Physalis longifolia</i> (= <i>P. subglabrata</i> as used previously.)	smooth groundcherry
<i>Prosopis strombulifera</i>	creeping mesquite
<i>Rorippa sylvestris</i>	creeping yellow field cress
<i>Salsola colliniae</i>	spineless Russian thistle
<i>Salsola damascena</i> (= <i>S. vermiculata</i> )	wormleaf salsola
<i>Salvia virgata</i> (= <i>S. pratensis</i> as used previously.)	meadow sage
<i>Salvinia auriculata</i> complex (consisting of <i>S. auriculata</i> , <i>S. biloba</i> , <i>S. herzogii</i> and <i>S. molesta</i> .)	salvinia
<i>Scolymus hispanicus</i>	golden thistle
<i>Solanum cardiophyllum</i>	heartleaf nightshade
<i>Solanum dimidiatum</i>	Torrey's nightshade
<i>Sonchus arvensis</i>	perennial sowthistle
<i>Sphaerophysa salsula</i>	Austrian peaweed
<i>Striga lutea</i> (= <i>S. asiatica</i> )	witchweed
<i>Tagetes minuta</i>	wild marigold
<i>Zygophyllum fabago</i> (= <i>Z. fabago</i> var. <i>brachycarpum</i> )	Syrian beancaper

**B & C RATED WEEDS (Revised)**

<i>Acacia paradoxa</i> ( <i>A. armata</i> )	kangaroothorn
<i>Acroptilon repens</i> ( <i>Centaurea repens</i> )	Russian knapweed
<i>Aegilops cylindrica</i>	jointed goatgrass
<i>Aegilops ovata</i> (= <i>A. geniculata</i> and <i>A. neglecta</i> , in part)	ovate goatgrass
<i>Aegilops triuncialis</i>	barb goatgrass
<i>Aeschynomene rudis</i>	rough jointvetch

## CA - 4

<i>Allium paniculatum</i>	panicled onion
<i>Allium vineale</i>	wild garlic
<i>Ambrosia trifida</i>	giant ragweed
<i>Araujia sericofera</i>	bladderflower
<i>Cardaria chalepensis</i>	lens-podded hoarycress
<i>Cardaria draba</i>	heart-podded hoarycress
<i>Cardaria pubescens</i>	globe-podded hoarycress
<i>Carduus pycnocephalus</i>	Italian thistle
<i>Carduus tenuiflorus</i>	Italian thistle
<i>Carthamus baeticus</i>	smooth distaff thistle
<i>Carthamus lanatus</i>	woolly distaff thistle
<i>Cenchrus echinatus</i>	southern sandbur grass
<i>Cenchrus incertus</i>	coast sandbur grass
<i>Cenchrus longispinus</i> (= <i>C. pauciflorus</i> as used previously)	mat sandbur grass
<i>Centaurea calcitrapa</i>	purple starthistle
<i>Centaurea solstitialis</i>	yellow starthistle
<i>Centaurea sulphurea</i>	Sicilian thistle
<i>Chorispora tenella</i>	purple mustard
<i>Cirsium arvense</i>	Canada thistle
<i>Convolvulus arvensis</i>	field bindweed
<i>Coronopus squamatus</i>	swinecress
<i>Cucumis myriocarpus</i>	paddy melon
<i>Cuscuta</i> spp. except <i>C. reflexa</i>	dodder
<i>Cynara cardunculus</i>	artichoke thistle
<i>Cynodon</i> spp. and hybrids	bermudagrass
<i>Cyperus esculentus</i>	yellow nutsedge
<i>Cyperus rotundus</i>	purple nutsedge
<i>Cytisus scoparius</i>	scotch broom
<i>Elytrigia repens</i> (= <i>Agropyron repens</i> )	quackgrass
<i>Euphorbia oblongata</i>	oblong spurge
<i>Gaura coccinea</i>	scarlet gaura
<i>Gaura drummondii</i> (= <i>G. odorata</i> )	scented gaura
<i>Gaura sinuata</i>	wavyleaf gaura
<i>Genista monspessulana</i> (= <i>Cystisus monspessulanus</i> )	French broom
<i>Gypsophila paniculata</i>	baby's breath
<i>Hyoscyamus niger</i>	black henbane
<i>Hypericum perforatum</i>	Klamathweed
<i>Imperata brevifolia</i>	satintail
<i>Iris douglasiana</i>	Douglas iris
<i>Iris missouriensis</i>	western blue flag
<i>Isatis trinitaria</i>	dyer's woad
<i>Iva axillaris</i>	povertyweed
<i>Lepidium latifolium</i>	perennial peppercress

<i>Lythrum salicaria</i> .....	purple loosestrife
<i>Malvella leprosa</i> (= <i>Sida leprosa</i> var. <i>hederacea</i> ) .....	alkali mallow
<i>Muhlenbergia schreberi</i> .....	nimblewill
<i>Nothoscordum inodorum</i> .....	false garlic
<i>Nymphaea mexicana</i> .....	banana waterlily
<i>Oryza rufipogon</i> .....	red rice
<i>Panicum antidotale</i> .....	blue panicgrass
<i>Pennisetum clandestinum</i> .....	Kikuyugrass
<i>Physalis viscosa</i> .....	grape groundcherry
<i>Polygonum coccineum</i> .....	kelp
<i>Polygonum cuspidatum</i> .....	Japanese knotweed
<i>Polygonum polystachyum</i> .....	Himalayan knotweed
<i>Polygonum sachalinense</i> .....	giant knotweed
<i>Rorippa austriaca</i> .....	Austrian fieldcress
<i>Salsola australis</i> (= <i>S. iberica</i> ).....	common Russian thistle
<i>Salsola paulsenii</i> .....	barbwire Russian thistle
<i>Salvia aethiopis</i> .....	Mediterranean sage
<i>Senecio jacobaea</i> .....	tansy ragwort
<i>Senecio squalidus</i> .....	Oxford ragwort
<i>Setaria faberii</i> .....	giant foxtail
<i>Solanum carolinense</i> .....	Carolina horsetail
<i>Solanum elaeagnifolium</i> .....	white horsetail
<i>Solanum lanceolatum</i> .....	lanceleaf nightshade
<i>Solanum marginatum</i> .....	white-margined nightshade
<i>Sorghum halepense</i> (Johnsongrass and other perennial <i>Sorghum</i> spp. including but not limited to <i>Sorghum alnum</i> and perennial sweet sudangrass)	
<i>Sympythium asperum</i> .....	rough comfrey
<i>Taeniamatherum caput-medusae</i> ( <i>Elymus caput-medusae</i> , <i>T. asperum</i> ) .....	medusahead
<i>Tribulus terrestris</i> .....	puncture vine
<i>Ulex europaeus</i> .....	gorse
<i>Viscum album</i> .....	European mistletoe

## QUARANTINES OR ADDITIONAL REQUIREMENTS

### I. CITRUS PESTS - Section 3250

STATES REGULATED: All except AZ.

MATERIALS REGULATED: All plant parts of all species of *Citrus*, *Fortunella*, *Poncirus*, *Aeglopsis*, and *Afraeagle*, except seed. For Florida only, all plant parts of all plants in the family Rutaceae, except seed.

### II. CHESTNUT BARK AND OAK WILT DISEASES - Section 3251

## **CA - 6**

STATES REGULATED: All except AZ.

MATERIALS REGULATED: All plant parts (except acorns) of all species of chestnut, chinquapin, oak, and tanbark oak.

## **III. CARIBBEAN FRUIT FLY - Section 3252**

STATES REGULATED: All of PR and parts of FL.

MATERIALS REGULATED: All fruits and berries of host plants of Caribbean fruit fly, soil or planting media within the drip area of plants producing host material.

## **IV. COTTON PEST - Section 3254**

STATES REGULATED: All except AZ and NC.

MATERIALS REGULATED: All plant parts of okra, kenaf, and cotton (*Gossypium*, and *Thurberia*); all used cotton harvesting equipment and related supplies.

## **V. CHERRY FRUIT FLY - Section 3256**

STATES REGULATED: ID, MT, NM, OR, UT, WA and parts of CO.

MATERIALS REGULATED: All fresh cherry fruit (domestic and wild); and soil or planting media within drip area of host plants.

## **VI. SWEET POTATO WEEVIL - Section 3257**

STATES REGULATED: AL, AR, FL, GA, HI, LA, MS, SC, TN, TX.

MATERIALS REGULATED: All plant parts of the sweet potato, and morning-glory plants.

## **VII. PEACH YELLOWS, LITTLE PEACH AND RED SUTURE DISEASES OF PEACH - Section 3259**

STATES REGULATED: CT, DE, IL, IN, KY, MD, MA, MI, NJ, NY, NC, OH, PA, RI, SC, TN, VA, WV, DC.

MATERIALS REGULATED: Trees and all plant parts capable of propagation (except seed) of *Prunus* spp. (except *P. avium*, *P. bessey*, *P. cerasus*, and the evergreens).

## **VIII. NUT TREE PESTS - Section 3260**

STATES REGULATED: All states and districts east of and including MT, WY, CO, OK, TX. In NM, the counties of Chaves, DeBaca, Eddy, Lea, and Roosevelt. All states, except AZ, are regulated for brooming disease.

MATERIALS REGULATED: Trees and all plant parts capable of propagation (except nuts) of *Juglans* and *Carya*.

#### **IX. OZONIUM ROOT ROT - Section 3261**

STATES REGULATED: AZ, and parts of AR, LA, NV, NM, OK, TX, UT.

MATERIALS REGULATED: All soil, nursery stock, or plants with roots, except as provided.

#### **X. PEACH MOSAIC DISEASE - Section 3262**

STATES REGULATED: AZ, NM, and parts of CO, OK, TX.

MATERIALS REGULATED: All trees and parts capable of propagation (except seed) of almond, apricot, peach, plum, prune, nectarine, Manchu cherry and western sand cherry.

#### **XI. EUROPEAN CORN BORER - Section 3263**

STATES REGULATED: AL, AR, CO, CT, DE, GA, IL, IN, IA, KS, KY, ME, MD, MA, MI, MN, MS, MO, MT, NE, NH, NJ, NY, NC, ND, OH, OK, PA, RI, SC, SD, TN, VT, VA, WV, WI, WY, DC, and parts of FL, LA, NM, TX, and Canada.

MATERIALS REGULATED: All plant parts of corn, broom corn, sorghum and sudangrass; beans in pod, pepper fruits, aster, chrysanthemum, geranium, hollyhock, dahlia tubers with stems and gladiolus corms with stems.

#### **XII. COLORADO POTATO BEETLE - Section 3264**

STATES REGULATED: All except AK, HI, NV.

MATERIALS REGULATED: Plants of tomato, pepper, eggplant, Irish potato tubers and associated soil.

#### **XIII. PERSIMMON ROOT BORER - Section 3265**

STATES REGULATED: All.

MATERIALS REGULATED: All species of persimmon (*Diospyros*) trees and all parts capable

**CA - 8**

of propagation (except seeds, buds and scions).

**XIV. PLUM CURCULIO AND BLUEBERRY MAGGOT - Section 3266**

**STATES REGULATED:** All states and districts east of and including ND, SD, NE, KS, OK, TX, and parts of UT.

**MATERIALS REGULATED:** All fresh fruit of apple (including crabapple), apricot, blueberry, cherry, hawthorn (haw), huckleberry, nectarine, peach, pear, plum, prune, quince; and soil or planting medium within the drip line of host plants.

**XV. BURROWING AND RENIFORM NEMATODE - Section 3271**

**STATES REGULATED:** Puerto Rico and AL, AR, FL, GA, HI, LA, MS, NC, SC, TX.

**MATERIALS REGULATED:** All earth, plants and plant parts with roots; all parts of plants produced below ground or soil level and all plant cuttings for propagation.

**XVI. CORNSTALK AND SUGARCANE BORERS - Section 3272**

**STATES REGULATED:** AL, AZ, AR, DE, FL, GA, IN, IA, KS, KY, LA, MD, MO, MS, NE, NJ, NM, NC, OK, SC, TN, TX, VA.

**MATERIALS REGULATED:** Corn or maize stalks, cobs, corn on the cob (fresh or dry), sugarcane stalks, cuttings, rooted plants and parts, except clean seed.

**XVII. WALNUT AND PECAN PESTS - SECTION 3273**

**STATES REGULATED:** All states for walnut husk flies, nut tree casebearers, and nut curculios. AL, AR, FL, GA, KS, KY, LA, MS, MO, NC, OK, SC, TN, TX, and VA for pecan weevil and hickory shuckworm.

**MATERIALS REGULATED:** Unhusked nuts of walnut and butternut (*Juglans*) and husk fragments; husks or husk fragments and nuts in the shell of pecans and hickory (*Carya*); containers equipment, and vehicles used in association with such nuts and husks.

**XVIII. CEDAR-APPLE RUST DISEASE - Section 3274**

**STATES REGULATED:** AK and all states and districts east of and including MT, SD, NE, KS, OK, TX.

**MATERIALS REGULATED:** Viable cedar-apple galls, trees and plant parts of juniper, apple and crab apple, except as provided.

**XIX. EUROPEAN PINE SHOOT MOTH - Section 3275**

STATES REGULATED: CT, DE, ID, IL, IN, IA, ME, MD, MA, MI, MO, NH, NJ, NY, OH, OR, PA, RI, WA, WV, WI.

MATERIALS REGULATED: All pine tree species and any plant part bearing terminal buds, needles or shoots.

**XX. PEACH ROSETTE DISEASE - Section 3276**

STATES REGULATED: AL, AR, GA, MS, OK, SC, TN, WV.

MATERIALS REGULATED: *Prunus* species (except evergreen species) trees and parts capable of propagation (except fruit pits).

**XXI. CEREAL LEAF BEETLE - Section 3277**

STATES REGULATED: All states, districts east of and including MN, IA, MO, AR, LA; parts of ID, KS, MT, OR, UT, WA, and Canada.

MATERIALS REGULATED: Small grains, ear corn, straw and hay (not pelletized), grass, sod, grass and forage seeds, fodder, plant litter, used harvesting equipment, cut or baled Scotch pine, red pine, and Austrian pine trees.

**XXII. WEST INDIAN SUGARCANE ROOT BORER - Section 3279**

STATES REGULATED: Parts of FL.

MATERIALS REGULATED: Soil, sand, gravel and all plants and plant parts capable of propagation.

**XXIII. JAPANESE BEETLE - Section 3280**

STATES REGULATED: CO, CT, DE, GA, IL, IN, KY, ME, MD, MA, MI, NH, NJ, NY, NC, OH, PA, RI, SC, TN, VT, VA, WV, DC; parts of AL, KS, MN, MO, WI; in Canada, parts of Quebec and Ontario Provinces.

MATERIALS REGULATED: Soil, growing media, humus, compost, manure (except commercial); plants with roots in soil; grass sod, crowns, bulbs, corms, tubers, etc. with soil; and any conveyance capable of harboring Japanese beetle.

**XXIV. HYDRILLA - Section 3281**

**CA - 10**

**STATES REGULATED:** All.

**MATERIALS REGULATED:** Any hydrilla plant or plant part, and any thing which can transport viable hydrilla plant parts.

**XXV. LETHAL YELLOWING OF PALM - Section 3282**

**STATES REGULATED:** Parts of FL and TX.

**MATERIALS REGULATED:** Susceptible palm trees and tree parts capable of propagation (except seed).

**XXVI. TOMATO YELLOW LEAF CURL VIRUS - Section 3286**

**STATES REGULATED:** FL.

**MATERIALS REGULATED:** All plants and plant parts, except fruit and seed, of tomato.

**CALIFORNIA STATE EXTERIOR QUARANTINE REGULATIONS  
SUMMARY**  
September, 1999

<b>REGULATED PLANT PESTS</b>	<b>REGULATED STATES</b>	<b>REGULATED MATERIALS</b>
Citrus Pests	All except AZ	All plant parts of all species of <u>Citrus</u> , <u>Fortunella</u> , <u>Poncirus</u> , <u>Aeglopsis</u> , and <u>Afraeagle</u> , except seed. For Florida only, all plant parts of all plants in the family Rutaceae, except seed.
Chestnut Bark and Oak Wilt Diseases	All except AZ	All plant parts (except acorns) of the species chestnut, chinquapin, oak, and tanbark oak.
Caribbean Fruit Fly	All of PR and parts of FL	All fruits and berries of host plants of Caribbean fruit fly, soil or planting media within the drip area of plants producing host material.
Cotton Pests	All except AZ and NC	All plant parts of okra, kenaf, and cotton ( <u>Gossypium</u> , and <u>Thurberia</u> ); all used cotton harvesting equipment and related supplies.
Cherry Fruit Fly	ID, MT, NM, OR, UT, WA and parts of CO	All fresh cherry fruit (domestic and wild): and soil or planting media within the drip area of host plants.
Sweet Potato Weevil	AL, AR, FL, GA, HI, LA, MS, SC, TN, TX	All plant parts of the sweet potato and morning-glory plants.
Peach Yellows, Little Peach and Red Suture Diseases of Peach	CT, DE, IL, IN, KY, MD, MA, MI, NJ, NY NC, OH, PA, RI, SC, TN, VA, WV, DC	Trees and all plant parts capable of propagation (except seed) of <u>Prunus</u> spp. (except <u>P. avium</u> , <u>P. bessey</u> , <u>P. cerasus</u> , and the evergreens).
Nut Tree Pests	All states and districts east of and including MT, WY, CO, OK, TX. In NM, the counties of Chaves, DeBaca, Eddy, Lea, and	Trees and all plant parts capable of propagation (except nuts) of <u>Juglans</u> and <u>Carya</u> .

**CA - 12**

	Roosevelt. All states, except AZ, are regulated for brooming disease.	
Ozonium Root Rot	AZ, and parts of AR, LA, NV, NM, OK, TX, UT	All soil, nursery stock, or plants with roots, except as provided.
Peach Mosaic Disease	AZ, NM, and parts of CO, OK, TX	All trees and parts capable of propagation (except seed) of almond, apricot, peach, plum, prune, nectarine, Manchu cherry and western sand cherry.
European Corn Borer	AL, AR, CO, CT, DE, GA, IL, IN, IA, KS, KY, ME, MD, MA, MI, MN, MS, MO, MT, NE, NH, NJ, NY, NC, ND, OH, OK, PA, RI, SC, SD, TN, VT, VA, WV, WI, WY, DC, and parts of FL, LA, TX , and Canada	All plant parts of corn, broom corn, sorghum and sudangrass; beans in pod, pepper fruits, aster, chrysanthemum, geranium, hollyhock, dahlia tubers with stems and gladiolus corms with stems.
Colorado Potato Beetle	All except AK, HI, NV	Plants of tomato, pepper, eggplant, Irish potato tubers and associated soil.
Persimmon Root Borer	All	All species <u>Diospyros</u> trees and all parts capable of propagation (except seeds, buds and scions).
Plum Curculio and Blueberry Maggot	All states and districts east of and including ND, SD, NE, KS, OK, TX, and parts of UT	All fresh fruit of apple (including crabapple), apricot, blueberry, cherry, hawthorn (haw), huckleberry, nectarine, peach, pear, plum, prune, quince; and soil or planting medium within the drip line of host plants.
Burrowing and Reniform Nematode	Puerto Rico and AL, AR, FL, GA, HW, LA, MS, NC, SC, TX	All earth, plants and plant parts with roots; all parts of plants produced below ground or soil level and all plant cuttings for propagation.
Cornstalk and Sugarcane Borers	AL, AZ, AR, DE, FL, GA, IN, IA, KS, KY, LA, MD, MO, MS, NE, NJ, NM, NC, OK, SC,	Corn or maize stalks, cobs, corn on the cob (fresh or dry); sugarcane stalks, cuttings, rooted plants and parts, except clean seed.

	TN, TX, VA	
Walnut and Pecan Pests	All states for walnut husk flies, nut tree casebearers, and nut curculios.  AL, AR, FL, GA, KS, KY, LA, MS, MO, NC, OK, SC, TN, TX, and VA for pecan weevil and hickory shuckworm.	Unhusked nuts of walnut and butternut ( <i>Juglans</i> ) and husk fragments; husks or husk fragments and nuts in the shell of pecans and hickory ( <i>Carya</i> ); containers, equipment, and vehicles used in association with such nuts and husks.
Cedar-Apple Rust Disease	AK and all states and districts east of and including MT, SD, NE, KS, OK, TX	Viable cedar-apple galls, trees and plant parts of juniper, apple and crab apple, except as provided.
European Pine Shoot Moth	CT, DE, IL, IN, IA, MD, ME, MA, MI, MO, NH, NJ, NY, OH, OR, PA, RI, WA, WV, WI	All pine tree species and any plant part bearing terminal buds, needles or shoots.
Peach Rosette Disease	AL, AR, GA, MS, OK, SC, TN, WV	<i>Prunus</i> species (except evergreen species) trees and parts capable of propagation (except fruit pits).
Cereal Leaf Beetle	All states and districts east of and including MN, IA, MO, AR, LA; parts of ID, KS, MT, OR, UT, WA, and Canada	Small grains, ear corn, straw and hay (not pelletized), grass, sod, grass and forage seeds, fodder, plant litter; used harvesting equipment; cut or baled scotch pine, red pine, and Austrian pine trees.
West Indian Sugarcane Root Borer	Parts of FL	Soil, sand, gravel and all plants and plant parts capable of propagation.
Japanese Beetle	CO, CT, DE, GA, IL, IN, KY, ME, MD, MA, MI, NH, NJ, NY, NC, OH, PA, RI, SC, TN, VT, VA, WV, DC; parts of AL, KS, MN, MO, WI; in Canada, parts of Quebec and Ontario Provinces	Soil, growing media, humus, compost, manure (except commercial); plants with roots in soil, grass sod; crowns, bulbs, corms, tubers, etc. with soil; and any conveyance capable of harboring Japanese beetle.

**CA - 14**

Hydrilla	All	Any hydrilla plant or plant part; and any thing which can transport viable hydrilla plant parts.
Lethal Yellowing of Palm	Parts of FL and TX	Susceptible palm trees and tree parts capable of propagation (except seed).
Tomato Yellow Leaf Curl Virus	FL	All plants and plant parts, except fruit and seed of tomato.